




PRODUCTS AND SERVICES FOR TREE CARE PROFESSIONALS

INTRODUCING THE
T540 XP® MARK III &
540 XP® MARK III &
NEW ARBORIST GEAR

**Up Early.
Down Safely.**
Redefining
standards.





Designed for tree care professionals. By tree care professionals.

At Husqvarna, our core values are rooted in our commitment to our customers. Since the beginning, we've worked hand-in-hand with tree care professionals to design innovative products and create new technologies to help advance their industry.

Today, we're proud to offer a full ecosystem of arborist supplies and tree climbing gear for professional tree care. Our trusted products and services make life in the treetops easier, more profitable and more convenient.

NEW FOR 2023	4	☆
HERO PRODUCTS	10	🏆
CHAINSAWS	16	🪚
FUEL AND LUBRICANTS	29	📄
PERSONAL PROTECTIVE EQUIPMENT	30	👤
POLE PRUNERS	42	🪚
BLOWERS	47	🪚
BATTERIES AND CHARGERS	50	🔋
THE HUSQVARNA DIFFERENCE	54	🏠

READ MORE ON PAGES 4-5

New for 2023

Get ready to experience the remastered T540 XP® Mark III and the all-new rear-handle 540 XP® Mark III chainsaws! This new generation of chainsaws are engineered to offer maximum reliability and precision.



READ MORE ON PAGES 12-13

Battery power that delivers

Experience battery power equivalent to gas. Our professional battery chainsaws deliver the power you need to tackle any job with exceptional precision and maneuverability, all at the push of a button.



Husqvarna conducts continuous product development and reserves the right to change designs, specifications, technical data and equipment levels without prior notification. As an operator you are responsible for the proper use of our products and so you should read and understand all instructions and warnings in the operator manuals before using the products. Consult your dealer about the equipment and performance of our products in your country, as this can vary per country. Regarding protective clothing and safety equipment, design and use of reflective clothing, carefully check the legal requirements in your country. Reasonable steps are taken to ensure that technical data is up-to-date at the time of publication. We cannot accept responsibility for printing errors.

NEW**T540 XP® MARK III & 540 XP® MARK III**

Up Early. Down Safely.

Introducing the next generation of Husqvarna chainsaws. These saws are engineered for performance, reliability and precision, with our new AutoTune™ 3.0 and an ultra-durable design. And our new arborist gear pairs perfectly with these saws to create a full ecosystem of arborist solutions!

**COMFORTABLE TO USE****Lightweight, Ergonomic Design**

Whether rear or top handle, these saws feature an optimized power-to-weight ratio, paired with LowVib® technology for easier, more comfortable use.

**FULL PRODUCT ECOSYSTEM****Top-Quality Climbing Gear**

This expansion of our arborist climbing gear includes a climbing harness, positioning lanyard, an anti-shock chainsaw strap, mini carabiners and a gear bag.

ENGINEERED FOR PERFORMANCE**Remastered For Reliability**

The **T540 XP® Mark III** is an innovative redesign ensuring maximum reliability, high cutting capacity and trusted performance.

NEW AND IMPROVED**AutoTune™ 3.0**

With our latest innovation in starting technology, AutoTune™ 3.0 enables simpler starting to ensure peak performance even in the toughest work environments.





NEW

ARBORIST CLIMBING GEAR

Up Early. Down Safely.

The latest expansion of our arborist climbing gear includes a climbing harness, positioning lanyard, an anti-shock chainsaw strap, mini carabiners and a gear bag. Our arborist gear pairs perfectly with our professional chainsaws, enhancing our ecosystem of arborist solutions!

70L gear bag

Durable, Reinforced Design

Built from 900 denier fabric with a reinforced bottom for organization and storage made to last

Easy Access

Easy-open top compartment and side zipper for quick access to gear

Multiple Storage Pockets

Multiple, dedicated gear pockets, including helmet pocket, first aid pocket, side pocket with lid, side zippered pocket and rear pocket, with daisy chains inside and outside



Climbing Harness

Multiple Adjustable Straps

Customize harness fit with adjustable, elastic straps including waist straps, leg straps and weight distribution straps.

Padded Belt and Leg Loops

Climb comfortably with the padded waist belt and leg loops, and easily remove them for cleaning or replacement.

Double Rope Bridge

Aluminum ring on one rope allows for carabiner to be used on the other for increased efficiency

ANSI Z133-2017, ASTM F887-20, CSA Z259.1-05



Anti-Shock Chainsaw Strap

Made from pre-treated elastic for exceptional friction resistance with integrated aluminum ring

- Easy attachment eyelet
- Lightweight aluminium ring for attachment point
- Anti-shock webbing system reduces force from falling saw



Work Positioning Lanyard

Allows for one-hand adjustment and can be used in a wide variety of applications

- Safe and efficient all in one lanyard positioning system
- Friction free and easy two-way adjustability with the pinto pulley and the ocean polyester hitch cord
- Resin-based seam protector to avoid damage
- Versatile design can be used in a variety of configurations
- Certified EN 358, EN795B, ANSI Z133

Mini Carabiners

Available in 3 pack with multiple Husqvarna-branded designs

- Perfect for accessories and gear
- Forged from high quality aluminium
- Breaking strength 4kN
- NOT for PPE



NEW

525iDEPS DIELECTRIC POLE SAW

Same performance, new power.

Our industry-first dielectric pole saw, MADSAW, is reaching new heights. Expanding our dielectric offering, the new battery-powered MADSAW delivers the same trusted performance with the convenience of battery power. Use MADSAW in the bucket, tree or on the ground for the ultimate in versatility.


MADSAW™



AN EXTRA MEASURE OF SAFETY

Meets OSHA 1910.269

Both gas and battery versions of the MADSAW have been individually tested to meet OSHA 1910.269 to deliver an **extra measure of safety** for tree care workers.



EASY TO USE

Compact, secure storage

The purposeful MADSAW design allows the pole saw's sections to quickly disconnect for compact, secure storage in a tree care truck or utility vehicle.



Multiple lengths, one tool

Comes with two detachable shafts in 9 ft. and 12.5 ft. for increased versatility



Gas-equivalent performance

525i powerhead matches 25-cc gas engine performance for the power you need without the hassle

X-CUT™ CHAIN

Minimum downtime, maximum results.

Our X-CUT® chain is the first ever chain to be designed, developed and manufactured by Husqvarna, right alongside our chainsaws. By designing and manufacturing the chain ourselves, we're able to optimize each detail to deliver maximum output. With an optimal cutting angle and sharpness that lasts, you'll enjoy maximum results with minimum downtime.

IMPROVE EFFICIENCY
Increased cutting performance


X-CUT® chains are developed side-by-side with our chainsaws. They pair perfectly together to deliver improved performance and maximum output.

REDUCED MAINTENANCE
Sharpness that lasts

Made of high-quality carbon steel, X-CUT® chain cutters have a unique hardened steel and chrome coating for sharpness built to last.

QUALITY YOU CAN RELY ON
Enhanced durability

With years of testing in multiple environments, X-CUT® chains are certified to meet our highest standards, offering the ideal combination of performance and durability.



NEW

X-CUT® Skip tooth chains

C83S, C83SK, C85S



BAR & CHAIN FIT-UP GUIDE

For more information on bar and chain compatibility, visit husqvarna.com/us/discover/bar-and-chain-fit-up-chart

BATTERY SERIES

Consistently powerful, incredibly convenient.

An electric future is on the horizon and Husqvarna is leading the charge. We've spent years developing and advancing our battery chainsaw technology so today, we can offer battery products just as powerful as their gas counterparts. And when you can get the performance you need with the convenience of push-to-start? *That's a win-win.*



BATTERY SERIES CHAINSAWS

Explore our entire range of battery products at husqvarna.com/us/chainsaws/battery-chainsaws

RELIABLE PERFORMANCE

Built for professionals

Our professional range of battery-powered chainsaws are stronger than ever, offering impressive power-to-weight ratio, high capacity and performance on par with their gas counterparts.

EASY USER INTERFACE

Taking battery convenience to new heights

From start/stop at the push of a button, to a user-friendly keypad and an intuitive user interface that clearly displays battery status and speed settings, we designed our battery tools to maximize your productivity.



DEVELOPED BY PROS

Tested for performance

Our lithium-ion batteries were designed and tested to ensure constant high performance and durability, with a long lifetime and a short charging time. And the encapsulated design keeps batteries protected from dust and rain.

FLEXIBILITY

Interchangeable battery system

Our common battery platform means you can swap our batteries, chargers and accessories as freely as you like, and they will still work together. Whatever your needs, our battery system can work for you.

WATER-PROOFED DESIGN

Keep working in any weather

Come rain, wind or sunshine. Thanks to a purposeful and rigorously-tested design, our battery machines fulfill IPX4 – a strict weather protection classification standard for electronic products.



THE XP® DIFFERENCE

It's what inside that counts

To make a truly professional chainsaw, it has to work every bit as hard as you – cutting all day, every day, until the job is finished. At Husqvarna, we've pioneered our XP® difference – a comprehensive suite of chainsaw features designed by and for professional users. And when you have a powerful core inside an ergonomic, durable case? That's when products become legendary.

X-TORQ® ENGINE Provides lower fuel consumption and reduced emissions

AUTOTUNE™ Automatically compensates for different fuels, altitude, humidity, temperature and air filter conditions

LOWVIB® Anti-vibration dampeners absorb motion

MAGNESIUM CRANKCASE Withstands high RPMs and tough professional use

AIR INJECTION™ Removes larger dust and debris particles before reaching air filter

SLENDER DESIGN Makes the chainsaw easy to handle in any situation

FELLING SIGHT Molded into body for easy directional guidance

TRANSPARENT FUEL INDICATOR Quickly check fuel level

ADJUSTABLE OIL PUMP Customize chain lubrication for any application

SNAP-LOCK COVER Toolless access saves you time when servicing and cleaning

FLIP UP TANK CAPS Easy to open and secure firmly, even with gloves

X-CUT® CHAIN Designed to optimize the performance of your Husqvarna chainsaw



*This listing of features is intended to provide a general overview, not all features are available on all models.

The **XP**® Difference

Beyond our professional series chainsaws, XP® saws set a new standard for peak performance and exist in a class all their own.

LARGER TRANSFER PORTS Creates faster acceleration and higher torque when you need it

TUNED IGNITION COIL Delivers higher maximum RPMs for a higher chain speed

OPTIMIZED POWER BAND Delivers more torque within a specific RPM range

Extreme cutting performance

Chainsaws perfectly adapted to the task at hand. For precision cuts high up in the treetops, or for the toughest of heavy-duty felling tasks. Chainsaws paired with X-Cut® chains, perfectly adapted to the saw, and X-Series bars that deliver impressive handling and maneuverability. Whatever you choose, you can rest assured that it's been designed for you, for an improved cutting experience.



EXPLORE ONLINE

Find our entire range of chainsaws and accessories by visiting [husqvarna.com/us/chainsaws/professional-chainsaws](https://www.husqvarna.com/us/chainsaws/professional-chainsaws)



X-TORQ® ENGINES

**Better fuel efficiency.
Lower exhaust emissions.**

X-Torq® engines deliver great combustion efficiency, with no compromise on power or torque. Every cycle, the cylinder is flushed with fresh air before the air-fuel mixture enters the cylinder, to prevent unburnt fuel from mixing with the exhausts. The result? A significant reduction of exhaust emissions as well as improved fuel efficiency, compared to similar models without X-Torq®.

USER-CENTRIC DESIGN

Designed for professionals

High power is not necessarily synonymous with heavy, cumbersome machines. When we design our chainsaws, we always set out to make your work easier. Husqvarna chainsaws all come with smart design features that provide optimized maneuverability, making them easy to twist and turn.

GAS CHAINSAW
3120 XP®



118.8 cm³
 8.31hp
 3/8" / .404"
 24-42 in
 22.9 lbs

Husqvarna's largest chainsaw is one of the most powerful in the world. The primary applications for the 3120 XP® are extreme logging, portable saw mills and stump work. This saw is designed to pull the chain on our longest bars. Like all Husqvarna chainsaws, the 3120 XP® has a superior power-to-weight ratio. Thanks to Effortless Starting®, LowVib® and other premium features, this heavy-duty chainsaw is surprisingly easy to start and operate.

- Adjustable oil pump
- Quick-release air filter
- Magnesium crankcase
- LowVib®

GAS CHAINSAW
395 XP®



94 cm³
 6.6 hp
 3/8"
 20-36 in
 17.4 lbs

The Husqvarna 395 XP® is built for professional loggers and foresters. Excellent balance and a rugged design make this large saw easy to operate – even with longer guide bars. The aggressive clutch can handle the chainsaw's substantial power, while a wider clutch cover guarantees effective wood chip dispersal. Take your work to the highest level of performance with this trusted machine.

- Husqvarna Air Injection™
- Adjustable oil pump
- Quick-release air filter
- Magnesium crankcase

GAS CHAINSAW
592 XP®



92.7 cm³
 7.6 hp
 3/8"
 18-36 in
 16.3 lbs

With best-in-class cutting capacity and power-to-weight, fantastic maneuverability, new starting technology, and reliable operation and uptime (even in the roughest conditions) the 592 XP® is your perfect partner in felling, limbing and bucking the largest of trees. You can fit up to 36" (90 cm) bars on it, never compromising on balance and control.

- AutoTune™ 3.0 with simplified start technology
- LowVib®
- Husqvarna Air Injection™
- X-Torq® Engine
- Heated handles and carburetor (optional)

GAS CHAINSAW
390 XP®



88 cm³
 6.5 hp
 3/8"
 16-32 in
 16.1 lbs

The Husqvarna 390 XP® features professional performance and excellent vibration dampening, making work easier and more efficient than ever. The LowVib® system and smart ergonomics make this large, powerful saw easy to handle – even with longer guide bars. Additionally, Smart Start® technology guarantees faster start-ups, while the rubber-mounted carburetor boosts durability. Prepare to get the job done like never before.

- Husqvarna Air Injection™
- LowVib®
- Adjustable oil pump
- Quick-release air filter
- Side-mounted chain tensioner

GAS CHAINSAW
372 XP®



70.7 cm³
 5.5 hp
 3/8"
 16-32 in
 14.6 lbs

Built for demanding work with enough power for longer bar options, the Husqvarna 372 XP® is ready for the toughest applications. The crankcase and crankshaft are extra durable, while the carburetor's vibration dampening can handle high speeds and heavy workloads. Featuring a powerful X-Torq® engine, this chainsaw is the ideal combination of high power and low weight.

- LowVib®
- Smart Start™
- Husqvarna Air Injection™
- X-Torq® Engine

Gas CHAINSAW
572 XP®



70.6 cm³
 5.8 hp
 3/8"
 20-32 in
 14.5 lbs

At just 14.5 lbs, the 572 XP® has a better power-to-weight ratio and 12% higher cutting capacity than previous Husqvarna models in the same class. Excellent cooling and heavy-duty filtration maximize reliability, while a smart design accommodates longer guide bars.

- LowVib®
- Smart Start™
- Husqvarna Air Injection™
- X-Torq® Engine
- AutoTune™
- Heated handles and carburetor (optional)



AUTOTUNE™ 3.0*

Ensure peak performance

When you're mid-plunge cut, you're probably not thinking about the temperature – but AutoTune™ is. Our proprietary AutoTune™ 3.0 technology automatically optimizes the engine settings to the actual altitude, temperature, air humidity and fuel quality to deliver consistent, peak performance.

*Autotune 3.0 is only available on 592 XP, T540 XP Mark III and 540 XP Mark III

GAS CHAINSAW
585



86 cm³
 6.9 hp
 3/8"
 18-36 in
 16.5 lbs

Robust and durable, the 585 chainsaw has all the benefits of a modern chainsaw with the traditional technology you know and appreciate. Exceptional durability combined with an impressive power to weight and a well-balanced body makes it the perfect companion for felling, limbing and bucking large trees in even the dirtiest conditions. You can fit up to 36" (90 cm) bars.

- LowVib®
- Smart Start™
- Husqvarna Air Injection™
- X-Torq® Engine

GAS CHAINSAW
365



70.7 cm³
 4.9 hp
 3/8"
 16-28 in
 14.1 lbs

The Husqvarna 365 is a chainsaw used by some of the world's hardest-working professionals. The combination of low weight and 70cc power make this saw well-suited to a variety of applications. The X-Torq® engine delivers eco-friendly performance that will help you save big on fuel.

- LowVib®
- Smart Start™
- Husqvarna Air Injection™
- X-Torq® Engine

GAS CHAINSAW
565



70.6 cm³
 5 hp
 3/8"
 20-28 in
 14.3 lbs

Promising next-generation cutting performance, the Husqvarna 565 lets you work faster and more efficiently with longer guide bars. Excellent cooling capacity and state-of-the-art filtration empower you to tackle the most demanding tasks. Equipped with revamped AutoTune™ and Air Injection™ and offering low vibrations, the 565 is a powerful yet ergonomically designed chainsaw for fast, safe work.

- LowVib®
- Smart Start™
- Husqvarna Air Injection™
- X-Torq® Engine
- AutoTune™



BAR & CHAIN FIT-UP GUIDE

For more information on bar and chain compatibility, visit husqvarna.com/us/discover/bar-and-chain-fit-up-chart



GAS CHAINSAW
562 XP®



59.8 cm³ 3/8" 18-28 in 4.7 hp 13.4 lbs

Husqvarna's 562 XP® chainsaw is developed for demanding work by tree care and forestry professionals. The 562 XP® has a groundbreaking design, including improved components, a new air filter, and the ability to fit bars up to 28". The X-Torq® engine delivers more power where you need it, with 20% less fuel consumption and 75% fewer emissions. Plus the 562 XP® comes with Husqvarna's X-Cut® chain for improved performance and lasting sharpness.

- LowVib®
- Smart Start™
- Husqvarna Air Injection™
- X-Torq® Engine
- AutoTune™
- Heated handles and carburetor (optional)

GAS CHAINSAW
555



59.8 cm³ 3/8" 18-24 in 4.16 hp 13.01 lbs

The power and reliability you need to take on any job. Husqvarna's 555 chainsaw is developed for demanding work. The 555 has a groundbreaking design, including improved components and a new air filter. The X-Torq® engine delivers more power where you need it, with 20% less fuel consumption and 75% fewer emissions. Plus the 555 comes with Husqvarna's X-Cut® chain for improved performance and lasting sharpness.

- LowVib®
- Smart Start™
- Husqvarna Air Injection™
- X-Torq® Engine
- AutoTune™

GAS CHAINSAW
550 XP® Mark II



50.1 cm³ 3/8" 16-20 in 4 hp 11.7 lbs

The second generation of Husqvarna's 550 XP® chainsaw is ready for demanding use in felling, limbing and bucking operations. The saw delivers maximum power in the 50cc class. Designed for professional forestry and tree care crews, this durable saw has improved power and a slimmed-down design. A host of innovative features guarantee comfortable and efficient operation, season after season.

- LowVib®
- Husqvarna Air Injection™
- X-Torq® Engine
- AutoTune™
- Heated handles and carburetor (optional)

GAS TREE-CARE CHAINSAW
540 XP® Mark III

NEW



39 cm³ .325"mini 12-16 in 2.5 hp 9.2 lbs

Introducing the newest model to Husqvarna's XP chainsaw assortment. The 540 XP® Mark III has been meticulously engineered to redefine standards. Complementing our top-handle model, this new rear-handle saw delivers legendary power, speed and agility.

- Quick release air filter cover
- Magnesium crankcase
- Air Injection
- AutoTune® 3.0
- SmartStart®
- X-Torq®

BATTERY CHAINSAW
540i XP®



.325"mini 14-16 in 6.39 lbs

A rear-handle battery powered chainsaw with impressive power output – on par with a professional 40cc gas chainsaw. Ideal for tree removal and thinning as well as for arborist groundcrew work. Features advanced user interface with battery status and start/stop, excellent ergonomics and provides user-friendly balance and maneuverability. Needs to be powered with BLi300 or BLi200X battery for full performance.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad with battery status
- Weatherproof (IPX4)
- 40cc class cutting performance

GAS CHAINSAW
545 Mark II



50.1 cm³ .325" 16-20 in 3.6 hp 11.7 lbs

The second generation of Husqvarna's 545 chainsaw is a 50cc unit that's ready for felling, limbing and bucking of small and midsize trees. Designed for professional forestry and tree care crews, this durable saw has improved power and a slimmed-down design. A host of innovative features guarantee comfortable and efficient operation, season after season.

- Excellent cooling capacity for a longer life
- Smart Start™
- Magnesium crankcase
- AutoTune™



PERSONAL PROTECTIVE EQUIPMENT

Move freely, stay safe.

With safety as our priority, our extensive line of PPE was designed with the same care and forethought as our chainsaws. Built from the best materials, our range of innovative, protective clothing meets any need you might have in your work. We're proud to offer pants, helmets, visors and more, all designed to make life as a tree care professional easier and safer.

READ MORE ON PAGES 38-41.



PPE LINE-UP

Find our extensive range online at husqvarna.com/us/personal-protective-equipment

BATTERY CHAINSAW

535i XP®



⚙️ .325" mini
📏 10-14 in
⚖️ 5.29 lbs

A lightweight and powerful, battery-powered chainsaw. Ideal for crown reduction and lighter tree removals where you need the extra reach a rear-handle chainsaw provides. Features excellent ergonomics, high chain speed and all the comfort of battery power without compromising performance.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- 35cc class cutting performance

GAS TREE-CARE CHAINSAW

T435



📏 35.2 cm³
⚙️ 2.01 hp
⚙️ 3/8" mini
📏 12-16 in
⚖️ 7.5 lbs

Mid-sized, lightweight 35cc top-handle chainsaw, for all sorts of professional tree care. The low weight and well-balanced saw body makes it very easy to work with.

- X-Torq® Engine
- LowVib®
- Smart Start™

GAS TREE-CARE CHAINSAW

T540 XP® Mark III

NEW



📏 39 cm³
⚙️ 2.5 hp
⚙️ .325" mini
📏 12-16 in
⚖️ 8.4 lbs

Developed specifically with arborists in mind, the T540 XP® Mark III features a remastered design for increased reliability, maneuverability and power. This top-handle saw boasts an impressive power-to-weight ratio and a new, more durable engine for performance you can rely on.

- Magnesium crankcase
- Air Injection
- AutoTune® 3.0
- SmartStart®
- X-Torq®

GAS TREE-CARE CHAINSAW

T525



📏 27.0 cm³
⚙️ 1.48 hp
⚙️ 3/8" mini
📏 12 in
⚖️ 5.95 lbs

Very lightweight and well-balanced, 27cc top-handle chainsaw. Thanks to its quick acceleration, easy starting and great reliability, it's an efficient choice for trimming, pruning and small crown reduction.

- X-Torq® Engine
- LowVib®
- Husqvarna Air Injection™

BATTERY TREE-CARE CHAINSAW

T540i XP®



⚙️ .325" mini
📏 12-16 in
⚖️ 5.51 lbs

Our most powerful top-handle battery powered chainsaw with impressive power output – on par with a professional 40cc gas chainsaw. Ideal for tree care and climbing work thanks to excellent ergonomics and low weight. Features advanced user interface with battery status and start/stop, excellent ergonomics and provides user-friendly balance and maneuverability. Needs to be powered with BLi300 or BLi200X battery for full performance.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad with battery status
- Weatherproof (IPX4)
- 40cc class cutting performance

BATTERY TREE-CARE CHAINSAW

T535i XP®



⚙️ .325" mini
📏 10-14 in
⚖️ 5.29 lbs

A very lightweight and powerful, battery-powered top-handle chainsaw. Ideal for crown reduction and lighter tree removals. Features excellent ergonomics, high chain speed and all the comfort of battery power, with a power output equivalent of a 35cc gas chainsaw.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- 35cc class cutting performance

📏 Cylinder displacement, cm³ ⚙️ Power output, hp
⚙️ Chain pitch, in 📏 Recommended bar length min – max, in
⚖️ Weight (excluding cutting equipment and battery where applicable), lbs.
For more technical specifications and information on engine power rating see pages 32–33.

BAR & CHAIN FIT-UP GUIDE

For more information on bar and chain compatibility, visit husqvarna.com/us/discover/bar-and-chain-fit-up-chart



HUSQVARNA CHAINSAW
CROWN COMMITMENT™
7-DAY MONEY-BACK GUARANTEE

Money back guarantee

We're confident you'll love your new Husqvarna chainsaw. So confident that we offer a money-back guarantee so you can buy without reservation. If you're not satisfied with a qualifying professional chainsaw within seven days of purchase, you can return it for a full refund or store credit towards the purchase of a new Husqvarna product from the dealer.

*Terms and conditions apply. Valid at your local participating Husqvarna Dealer only. All models are not available at all dealers, so be sure to call or visit your local dealer for more information.

The industry's longest professional gas-powered warranty



NEW
2-year professional chainsaw warranty

2-Year professional battery powered warranty

Your Husqvarna chainsaw is more than a purchase, it's an investment in cutting excellence. Season after season, you depend on your chainsaws for your livelihood. As one of our customers, we know you're putting your trust in us. That's why we offer a 1-year professional-use warranty on our gas-powered professional and XP chainsaws.

GAS CHAINSAWS	3120 XP	395 XP	592 XP®	585	390 XP	372 XP®	365	572 XP®	565	562 XP®	555	550 XP® Mark II	545 Mark II	540 XP® Mark III
TECHNICAL SPECIFICATIONS														
Cylinder displacement, cm ³	118.8	94	92.7	86	88	70.7	70.7	70.6	70.6	59.8	59.8	50.1	50.1	39
Power output, hp	8.4	6.6	7.6	6.9	6.5	5.5	4.9	5.8	5	4.7	4.16	4	3.6	2.5
Sound pressure level at operator's ear, dB(A)*	102	102	112	112	107	110	110	107	105	106	106	107	106	103
Sound power level guaranteed (LWA) dB(A)**	116	115	119	119	119	119	119	120	119	118	118	117	116	112
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	6.7 / 7.8	6.5 / 10.2	6.6/5.3	6.6/5.3	6.5 / 7.5	5.7/8.0	5.7/8.0	5.4/4.1	5.2/5.3	3.2/5.0	3.2/5.0	3.3/4.9	3.6/4.1	3.7/5.1
Chain pitch, inch	.404"	3/8"	3/8"	3/8"	3/8"	3/8	3/8	3/8	3/8	3/8	3/8	.325	.325	.325 mini
Recommended bar length, min-max, inch	24-42	20-36	18-36	18-36	16-32	16-32	16-28	20-32	20-28	18-28	18-24	16-20	16-20	12-16
Weight (excl. cutting equipment), lbs	22.9	17.4	16.3	16.5	16.1	14.5	14.1	14.5	14.3	13.4	13	11.6	11.6	9.2
FEATURES														
LowVib®	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Smart Start™	●	●	●	●	●	●	●	●	●	●	●	—	●	●
Adjustable oil pump	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Inertia chain brake	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Magnesium crankcase	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Quick release air filter cover	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Quick-release air filter	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Air Injection™	—	●	●	●	●	●	●	●	●	●	●	●	●	●
Side-mounted chain tensioner	—	—	●	●	●	●	●	●	●	●	●	●	●	●
X-Torq® engine	—	—	●	●	—	●	●	●	●	●	●	●	●	●
Combined choke /stop control	—	—	●	●	—	●	●	●	●	●	●	●	●	●
Snap-lock cylinder cover	—	—	●	●	—	●	●	●	●	●	●	●	●	—
Heated handles	—	—	● (optional)	—	—	—	—	● (optional)	—	● (optional)	—	● (optional)	● (optional)	—
Heated carburetor	—	—	● (optional)	—	—	—	—	● (optional)	—	● (optional)	—	● (optional)	● (optional)	—
AutoTune™	—	—	●	—	—	●	●	●	●	●	●	●	●	●
Fuel pump	—	—	●	●	—	—	—	●	●	●	●	●	●	●
Retained bar nuts	—	—	●	●	—	●	●	●	●	●	●	●	●	●
Visible fuel level	—	—	●	●	—	●	●	●	●	●	●	●	●	—

BATTERY CHAINSAWS	540i XP®	535i XP®
TECHNICAL SPECIFICATIONS		
Battery type	Li-ion	Li-ion
Voltage, V	40	40
Motor type	BLDC (brushless)	BLDC (brushless)
Sound pressure level at operator's ear, dB(A)*	95	93
Sound power level guaranteed (LWA) dB(A)**	106	106
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	3.6/3.7	2.5 / 2.8
Chain pitch, inch	.325mini	.325mini
Recommended bar length, min-max, inch	14-16	10-14
Weight (excl. battery and cutting equipment), lbs	6.3	5.7
FEATURES		
savE™	●	●
Flip up tank cap	●	●
Inertia chain brake	●	●
Intuitive keypad with battery status	●	—
Intuitive keypad	—	●
Retained bar nuts	●	●

*Equivalent sound pressure level at the operator's ear, measured according to EN ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine includes statistical uncertainty. **Noise emissions in the environment measured as sound power (LWA) is reported as guaranteed value in conformity with EC directive 2000/14/EC, with statistical dispersion included. Measured according to ISO 22868. ***Equivalent vibration levels (ahv,eq) at handles, measured according to EN ISO 22867, m/s². Typical statistical dispersion (standard deviation) of ± 1 m/s².

*Equivalent sound pressure level, according to ISO 22868, is calculated as the time-weighted energy total for different sound pressure levels under various working conditions. Typical statistical dispersion for equivalent sound pressure level is a standard deviation of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1-3 dB(A). ***Equivalent vibration level, according to ISO 22867, is calculated as the time-weighted energy total for vibration levels under various working conditions. Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².



BAR & CHAIN FIT-UP GUIDE

For more information on bar and chain compatibility, visit husqvarna.com/us/discover/bar-and-chain-fit-up-chart

FUELS & OILS

Husqvarna Fuels & Oils

Husqvarna's Fuels and Oils are developed to ensure optimal performance while reducing wear and tear. This means more runtime and less downtime.

- Husqvarna VEF (Verified Engine Formula)
- JASO FD Certified (XP+)



READ MORE ON PAGE 29.



NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

GAS TOP HANDLE CHAINSAWS

	T540 XP® Mark III	T435	T525
TECHNICAL SPECIFICATIONS			
Cylinder displacement, cm ³	39	35.2	27.0
Power output, hp	2.5	2	1.5
Sound pressure level at operator's ear, dB(A)*	102	103	98
Sound power level guaranteed (LWA) dB(A)**	112	114	111
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	3.5/3.4	3.6/3.9	4.9/5.2
Chain pitch, inch	.325 mini	3/8mini	3/8mini
Recommended bar length, min-max, inch	12-16	12-16	12
Weight (excl. cutting equipment), lbs	8.4	7.5	6
FEATURES			
X-Torq® engine	●	●	●
LowVib®	●	●	●
Smart Start™	●	●	●
Inertia chain brake	●	●	●
Adjustable oil pump	●	●	●
Fuel pump	●	●	●
Quick release air filter cover	●	●	●
Quick-release air filter	●	●	●
Side-mounted chain tensioner	●	●	●
Flip-up tank caps	●	●	●
Air Injection™	●	—	●
Retained bar nuts	●	—	●
Magnesium crankcase	●	—	—
Belt eyelet	●	—	●
AutoTune™	●	—	—
Visible fuel level	—	—	●

*Equivalent sound pressure level, according to ISO 22868, is calculated as the time-weighted energy total for different sound pressure levels under various working conditions. Typical statistical dispersion for equivalent sound pressure level is a standard deviation of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1-3 dB(A). ***Equivalent vibration level, according to ISO 22867, is calculated as the time-weighted energy total for vibration levels under various working conditions. Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².

BATTERY TOP HANDLE CHAINSAWS

	T540i XP®	T535i XP®
TECHNICAL SPECIFICATIONS		
Battery type	Li-ion	Li-ion
Voltage, V	40	40
Motor type	BLDC (brushless)	BLDC (brushless)
Sound pressure level at operator's ear, dB(A) *	92	93
Sound power level guaranteed (LWA) dB(A) **	103	106
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	2.1 / 3.4	2.0 / 2.4
Chain pitch, inch	.325"mini	.325"mini
Recommended bar length, min-max, cm/inch	12-16	10-14
Weight (excl. battery and cutting equipment), lbs	5.5	5.3
FEATURES		
savE™	●	●
Intuitive keypad with battery status	●	—
Intuitive keypad	—	●
Inertia chain brake	●	●
Belt eye let	●	●
Flip up tank cap	●	●
Retained bar nuts	●	●

*Equivalent sound pressure level at the operator's ear, measured according to EN ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine includes statistical uncertainty. **Noise emissions in the environment measured as sound power (LWA) is reported as guaranteed value in conformity with EC directive 2000/14/EC, with statistical dispersion included. Measured according to ISO 22868. ***Equivalent vibration levels (ahv,eq) at handles, measured according to EN ISO 22867, m/s². Typical statistical dispersion (standard deviation) of ± 1 m/s².

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J 1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.



HUSQVARNA X-CUT™ SP21G

SP21G is a semi-chisel .325"mini .043" chain with low kickback, specially developed to increase the cutting speed and efficiency for full-time use battery chainsaws. The chain is energy efficient and the optimized geometry delivers a consistently smooth cut, and excellent bore cut as well as improved handling and maneuverability – key characteristics when performing tree care. Fits the .325"mini X-PRECISION™ bars.

NEW



HUSQVARNA X-CUT™ S35G

Semi-chisel .325, .058 chain with low kickback and low stretch. Developed for professional use on mid-sized chainsaws, up to 55cc.

NEW



HUSQVARNA X-CUT™ SKIP C83S, C83SK, C85S

Expanding our X-CUT® assortment, we're excited to introduce new skip sequence chains. Designed for use in large cuts requiring long guide bars, these X-Cut chains are made in Sweden, engineered alongside our professional chainsaws to deliver the X-CUT performance professionals can rely on.



HUSQVARNA X-CUT™ S93G

This semi-chisel 3/8"mini .058" S93G chain is developed to fit smaller rear- and top-handle saws. Optimized geometry and grinding provides high cutting speed as well as low kickback. High efficiency balanced against the available power from the chainsaw will enable a smooth and precise cut.

NEW



HUSQVARNA X-CUT™ S83G

Semi-chisel 3/8", .050" chain with low kickback and low stretch. Developed for professional use on larger chainsaws. Original equipment on most Husqvarna 455 Rancher and 460 Rancher chainsaws.




HUSQVARNA X-CUT™ SP33G

Semi-chisel Pixel .325" .050" chain with low kickback and low stretch. The narrow kerf equals impressive cutting efficiency. Developed for professional use on mid-size chainsaws, up to 55cc. Original equipment on most Husqvarna 550 XP® chainsaws.




HUSQVARNA X-CUT™ C83 & C85

Superior cutting efficiency in clean conditions. An advanced chisel 3/8" .050" or .058" chain for 60-90cc chainsaws. Made for full-time professional use. The chain is made entirely by Husqvarna to ensure you get the best possible output from your chainsaw. With superior cutting efficiency, a sharpness that lasts and low stretch, it gives you better results, less need for maintenance and lower costs.



HUSQVARNA X-TOUGH™ BARS WITH HARD NOSE

Solid bars are used for hard species of timber, thick bark and in very sandy, dusty or sooty conditions. The bars are coated to protect against scratches and corrosion. Available in 3/8" (18-28") and .404" (24-42").




HUSQVARNA X-PRECISION™ BARS

The X-PRECISION™ bars are designed specifically for use with the X-CUT™ SP21G chain on Husqvarna battery-powered professional chainsaws. The optimized overall geometry and small nose radius provide efficient cutting with precise control, excellent bore cutting properties and reduced risk of kickback. Available in .325"mini (10-16").




HUSQVARNA X-FORCE™ BARS

The X-FORCE™ laminated bars offer easier maintenance and increased productivity. Depending on the model, these benefits come from features such as updated profiles, larger nose sprocket, cutouts in the center plate, additional bearings, supported shields, and the removal of the grease hole. Available in 3/8" (15-20"), 3/8"mini (12-16") and .325" (13-20").



HUSQVARNA X-TOUGH™ BARS WITH REPLACEABLE SPROCKET NOSE

Solid RSN bar with great durability and robustness. The load is transferred to the high-quality roller bearing. The bars are coated to protect against scratches and corrosion. Replaceable tip is available as a spare part. Available in 3/8" (16-28"), .325" (18") and .404" (24-42").



HUSQVARNA X-TOUGH™ LIGHT BARS WITH REPLACEABLE SPROCKET NOSE

A lightweight solid RSN bar. Improves the maneuverability while maintaining durability and robustness. Up to 15% lighter than standard solid guide bar. The load is transferred to the high-quality roller bearing. Wear-resistant paint protects against scratches and corrosion. Replaceable tip is available as a spare part. Available in 3/8" (20-36").



Husqvarna Professional Chainsaws

The following powerhead, bar and chain configurations are available from your local Husqvarna dealer.

REAR HANDLE CHAINSAWS

MODEL	PITCH	GAUGE	BAR LENGTH	ITEM NUMBER
535i XP	.325 mini	0.043	14	967893874
			14	970510114
540 XP Mark III	.325 mini	0.043	16	970510116
			14	970518014
	3/8 mini	0.050	16	970518016
			14	970518014
540i XP	.325 mini	0.043	14	967864014
			16	967864016
543 XP	0.325	0.050	16	967146202
			16	967690636
545 Mark II	0.325	0.050	18	967690638
			20	967690640
	0.325	0.058	16	967690616
			18	967690618
550 XP Mark II	0.325	0.050	16	967690836
			18	967690838
	0.325	0.058	20	967690850
			16	967690816
555	3/8	0.050	18	970501404
			24	970501408
	3/8	0.058	18	970501405
			20	970501407
562 XP	3/8	0.050	24	970501409
			18	970502102
	3/8	0.058	20	970502104
			24	970502106
365	3/8	0.063	28	970502122
			18	970502103
	3/8	0.058	20	970502105
			24	970502115
565	3/8	0.050	28	970502128
			20	966428621
	3/8	0.058	24	966428694
			28	966428624
372 XP	3/8	0.050	20	966428620
			24	966428623
	3/8	0.058	24	966428625
			28	966428625
565	3/8	0.050	20	966733906
			24	966733908
	3/8	0.058	28	966733910
			20	966733907
3120 XP*	3/8	0.050	24	966733909
			28	966733911
	3/8	0.058	20	965968308
			24	965968311
372 XP	3/8	0.050	28	965968315
			20	965968309
	3/8	0.058	24	965968312
			28	965968321
3/8	0.063	32	965968343	

REAR HANDLE CHAINSAWS

MODEL	PITCH	GAUGE	BAR LENGTH	ITEM NUMBER
585	3/8	0.050	20	970493070
			24	970493074
			28	970493078
			32	970493082
585	3/8	0.058	20	970493030
			24	970493024
			28	970493028
			32	970493032
585	3/8	0.063	28	970493088
			32	970493092
			36	970493096
			20	965060720
390 XP	3/8	0.050	24	965060724
			28	965060728
			32	965060732
			20	965060730
390 XP	3/8	0.058	24	965060734
			28	965060738
			28	965060750
			20	965060751
390 XP	3/8	0.063	20	970493150
			24	970493154
			28 X-Tough RSN	970493168
			28 X-Tough Light	970493158
592 XP	3/8	0.058	32	970493152
			20	970493140
			24	970493144
			28	970493148
592 XP	3/8	0.063	32	970493132
			28	970493178
			32 X-Tough RSN	970493162
			32 X-Tough Light	970493142
395 XP	3/8	0.050	36 X-Tough RSN	970493156
			36 X-Tough Light	970493146
			20	965902749
			24	965902737
395 XP	3/8	0.058	28	965902739
			32	965902709
			36	965902720
			20	965902762
395 XP	3/8	0.063	24	965902763
			28	965902765
			32	965902772
			28	965902771
3120 XP*	3/8	0.063	32	965902735
			36	965902710
			20	965968308
			24	965968311

*Powerhead only

TOP HANDLE CHAINSAWS

MODEL	PITCH	GAUGE	BAR LENGTH	ITEM NUMBER
T525	3/8	0.050	12	967633312
T535i XP	.325 mini	0.043	12	970502128
			12	966997232
T435	3/8	0.050	14	966997234
			16	966997236
T540 XP Mark III	.325 mini	0.043	12	970510012
			14	970510014
T540i XP	.325 mini	0.043	16	970510016
			12	967863712
			14	967863714
			16	967863716

Optimize your machine's performance

Give your Husqvarna product what it needs. Our selection of oil and fuel products is made of the highest quality components, developed by Husqvarna, for your Husqvarna products. It meets all the high demands that you put on your product.

Benefits of X-GUARD premium bar & chain oil



Great all-around, every day use bar and chain oil.



For use below 32°F (0°C).



Biodegradable in 28 days or less.



X-GUARD

X-GUARD PREMIUM BAR AND CHAIN OIL

Formulated from virgin base stock oils, Husqvarna's X-Guard lubricant reduces friction and wear on cutting bars and chains, extending the life of cutting equipment. X-Guard's reduced sling formulation includes a premium tackifier additive, which ensures the lubrication is maintained on the cutting equipment for optimal performance.

- All Season 1 Qt
- All Season 1 Gal
- All Season 55 Gal
- Low Temp 1 Gal
- Low Temp 55 Gal
- Bio 1 Gal



X-GUARD

X-GUARD DIELECTRIC BAR & CHAIN OIL

Husqvarna X-Guard Premium Dielectric Bar & Chain Oil is designed for use in tools that are tested to meet OSHA 1910.269. It is formulated with additives to resist conducting electricity and to maintain dielectric strength up to 36KV in the event of a current or voltage being applied to it. Additionally, the premium blend of base stocks and tackifier additives reduces high speed throw-off and extends bar, chain and sprocket life by protecting against wear.

1 qt



XP+ 2-STROKE FUEL + OIL

Husqvarna ETHANOL FREE, High Octane Fuel is mixed with Husqvarna's best synthetic oil blend. OCTANE RATING: (R+M)/2 METHOD 95. This product was specifically formulated to provide optimal equipment performance. Fuel does not degrade or oxidize like pump gas and stays fresh for years. Easier, more dependable starts. Protects fuel systems and saves carburetors. Avoids costly rebuilds and downtime. Convenient, ready to use, no mixing required. JASO-FD certified premium synthetic oil blend.

- 1 Qt
- 859 Gal
- 4.75 Gal
- 48 Gal



XP+ SYNTHETIC BLEND 2-STROKE OIL

Husqvarna XP+ 2-Stroke Oil has been engineered to maximize your engine's performance. The Husqvarna XP+ low smoke formulation is also specifically engineered to ensure lowest operating temperature, preventing premature engine bearing failures.

- 2.6 oz 1 Gal
- 5.2 oz 5 Gal
- 6.4 oz 55 Gal
- 12.8 oz



HP SYNTHETIC BLEND 2-STROKE OIL

The semi-synthetic base oils and high quality additives used in the Husqvarna HP formulation ensure optimal lubricity and detergency, resulting in lower operating temperature and less deposits in the crankcase.

- 2.6 oz 1 Gal
- 5.2 oz 5 Gal
- 6.4 oz 55 Gal
- 12.8 oz



BAR & CHAIN FIT-UP GUIDE

For more information on bar and chain compatibility, visit husqvarna.com/us/discover/bar-and-chain-fit-up-chart

Stay safe. Move freely.

Good protective equipment must withstand demanding conditions and provide the required protection. That's why we use nothing but high-quality materials. Our range of protective clothing is developed to match the different requirements of every type of work. In fact, our extensive range of safety clothing, offering the latest innovations in design and materials, will provide you with the level of protection and comfort you need to get the job done.



EXPLORE ONLINE

Find our extensive range online at husqvarna.com/us/personal-protective-equipment

COMFORT

A pleasure to work in

Our range of protective clothing is designed to keep you comfortable and focused throughout the day. The clothes are carefully crafted for perfect fit, with lightweight stretch fabric, extra padding and pre-bent materials in the right places, so you can move freely with minimum effort. Ventilated jackets, trousers and helmets help you stay cool, even when you work hard.

PROTECTION

Don't compromise on safety

Working outdoors can sometimes be hazardous. To minimize the risk of injury, be sure to choose the right protective gear. The Technical Extreme and Technical ranges are specifically developed for the tough demands of professional forestry and landscaping, with high-quality materials, saw protection and user-friendly design, efficiently protecting your limbs, head, ears and eyes from harm.

EXTREME USE



Technical extreme

Style, fit and performance taken to the extreme. Superior comfort by movability and thermal control will have you prepared for any work, in any conditions.

FULL-TIME USE



Technical

Task-optimized, tight fitting and thoughtfully crafted for full-time forestry. High movability, durability and smart ventilation make your long working hours easier.

PART TIME USE



Functional

Smart, durable, and perfect for part-time forestry. Regular fit, ventilation features and ease of use enables you to move freely and focus on the job.

OCCASIONAL USE



Classic

Reliable, affordable, and suitable for occasional chainsaw users. Protective performance provides confidence when working.





ARBORIST ESSENTIALS

Up Early. Down Safely.

Husqvarna Arborist Essentials - designed for - and together with - professional arborists to meet the harshest of demands

NEW



CLIMBING HARNESS

Multiple Adjustable Straps

Customize harness fit with adjustable, elastic straps including waist straps, leg straps and weight distribution straps.

Padded Belt and Leg Loops

Climb comfortably with the padded waist belt and leg loops, and easily remove them for cleaning or replacement.

Double Rope Bridge

Aluminum ring on one rope allows for carabiner to be used on the other for increased efficiency

Fits Most

NEW



ARBORIST GEAR BAG

Durable, Reinforced Design

Built from 900 denier fabric with a reinforced bottom for organization and storage made to last

Easy Access

Easy-open top compartment and side zipper for quick access to gear

Multiple Storage Pockets

Multiple, dedicated gear pockets, including helmet pocket, first aid pocket, side pocket with lid, side zippered pocket and rear pocket, with daisy chains inside and outside

70L

NEW



WORK POSITIONING LANYARD

All-in-one system allows for one-hand adjustment and can be used in a wide variety of applications.

7m

NEW



ANTI-SHOCK CHAINSAW STRAP

Made from pre-treated elastic for exceptional friction resistance with integrated aluminum ring.

29"

NEW



MINI CARABINERS

Available in 3-pk with multiple Husqvarna-branded designs.



KALIX CLIMBING ROPE

16 Strand construction. 1/2" diameter. Easy to grip. Great friction hitch interface. Polyester cover over nylon core. High abrasion resistance. Excellent energy absorption. Low Stretch. 8,260 lb tensile strength. 6740 lb MBS Rating

AVAILABLE IN:

- 120'
- 150'
- 200'



28 L ROPE BAG, ARBORIST

Holds up to 250' of 1/2" rope. Cinch top closure keeps rope clean and dry. External daisy chains for external gear storage. Covered top handles for added comfort.



STRYKA CLIMBING ROPE

Double-braid construction features a robust polyester 24-strand sheath, minimal elongation, soft handling and easy knot-ability, ideal for single rope and double rope climbing techniques. 6744 lb MBS Rating

AVAILABLE IN:

- 120'
- 150'
- 200'



EYE-N-EYE PRUSIK

Polyester/aramid cover with polyester. High abrasion resistance. Heat resistance. Excellent rope interface. Works well with hitch climber pulleys.

30"



2-IN-1 SAFETY LANYARD

Double action aluminum snap hooks. Lightweight hardware. Prevents accidental opening. Sewn eye terminations. Eliminates knot tying. Red hip prusik. 16 strand rope construction. High abrasion resistance. Blue core alerts user of damage/worn sheath.

3m



CHAINSAW STRAP

To be used together with a chainsaw hook for connecting the chainsaw to a belt. Elastic design. Measures 20" when relaxed and 49" fully stretched out.



THROW LINE CUBE

Foldable 16-inch fabric cube, ideal for keeping the throwline clean and free from tangles, when thrown into the canopy. 16"x16"



180' THROWLINE

Made from high-strength, low-stretch Dyneema® fiber. The urethane coating makes it abrasion resistant and easy to tie and to throw without tangling. The orange color also provides good visibility. 1.75mm, 560 lb tensile strength.



OVAL CARABINER

- Symmetric shape for even loading
- Constructed from lightweight, max strength aluminum
- Double locking twist lock gate
- CE Certified per EN 362:2004/B



D-SHAPE CARABINER

- Allows positioning of the load at strongest axis
- Constructed from lightweight, max strength aluminum
- Double locking twist lock gate
- CE Certified per EN 362:2004/B



HMS/ "PEAR" SHAPE CARABINER

- High capacity for connecting multiple or bulky items
- Constructed from lightweight, max strength aluminum
- Double locking twist lock gate
- CE Certified per EN 362:2004/B



4" ARBORIST WEDGE

Made of high-impact ABS plastic. Helps the tree fall in the right direction.



CHAINSAW HOOKS

For easy connection of a chainsaw to a harness. Robust construction. Optimized for T540 XP®, T540i XP® and T535i XP®. 4.5"



CHAINSAW EYELET

For arborists who use a standard chainsaw. Offers a safe way to connect the chainsaw to the chainsaw strop. Has an overload release.



THROW WEIGHTS

High-quality weights made with highly durable Cordura fabric. Easy to attach safely to the throwline. The orange color also provides good visibility.

AVAILABLE IN:

- 8 oz.
- 10 oz.
- 12 oz.
- 14 oz.



Keep your head cool and protected

HUSQVARNA ELEVATION (CLASS C)

Designed for the professional arborist who requires comfort, safety and style while working. Ventilated for breathability. Universal fit with a wheel ratchet depth adjustment. Front clips allow for addition of head lamp. Compatible with Husqvarna's arborist helmet ear muffs (sold separately) and three visor styles, including clear, mirror and smoke (sold separately).

Meets both ANSI/ISEA Z89.1 – 2014 and CSA Z94.1 – 2015 Type 1, Class C. Maximum 10-year shelf life. Backed by a 3-year warranty.



HUSQVARNA SPIRE™ (CLASS E)

Designed for the professional arborist who requires comfort, safety and style while working. Orange color for visibility. Universal fit with a wheel ratchet depth adjustment. Front clips allow for addition of head lamp. Compatible with Husqvarna's arborist helmet ear muffs (sold separately) and three visor styles, including clear, mirror and smoke (all sold separately).

Meets both ANSI Z89.1 – 2014 and CSA Z94.1 – 2015, Type I, Class E. Meets and exceeds ISEA / ANSI Z89.1 – 2014, Type I with Electrical Insulation – Rated to Class E. Maximum 10-year shelf life. Backed by a 3-year warranty.



ARBORIST VISOR

Polycarbonate, impact-resistant visor is anti-fog and scratch-resistant. Can be easily raised or lowered and provides excellent visibility.



Well ventilated

Ventilated for optimal breathability and comfort during demanding work and warm conditions.



Comfortable chinstrap

The four-point chinstrap is made from washable eco-leather for maximum comfort and convenient fit.



Extended leg

An extra inch has been added to make sure the trouser stays over the boot when climbing, for protection and comfort.

PROTECTIVE TROUSERS, TECHNICAL EXTREME ARBOR

Made for arborists designed for climbing

Chainsaw pant tailored around an arborist's environment and needs with a Euro design/feel. High tech materials with Dyneema®, Cordura® and Kevlar® for maximum resistance to wear at the lowest possible weight. Lightweight reinforcements throughout. Comes with "easy to remove" suspenders. No back pockets and lower ventilation zippers not to interfere with harness. Side pockets with reversed direction of zippers for easy access. Loops to hang carabiners. Double front pockets. Reinforced smooth area for spikes. 6 layers of protection meets CAN/BNQ 1923-450-M91.



CLOTHING FOR ARBORISTS

Tailored for high-level tree care and pruning

As a professional arborist, you have very special demands when it comes to protective clothing in terms of safety, mobility and comfort. When designing and manufacturing Husqvarna's arborist clothing, we choose the best items in our Technical and Technical Extreme collections and re-design them to create the ultimate gear for arborists.



Hook-and-loop on suspenders

The suspenders are easy to remove and put on, offering a fast and easy switch depending on the work performed.




Durable and lightweight reinforcements

High tech materials with Dyneema®, Cordura® and Kevlar® for maximum resistance to wear and tear in the areas most needed. Extra reinforced crotch with stretch.



Easy access pockets

Side pockets with reversed zips for easy access when wearing harness, and double thigh pockets with loops for storage.



FORESTRY ESSENTIALS

Bring only your essentials

When you spend entire days working in the forest, you want to be sure to have all the equipment you need. And you want it easily accessible, but without constraints, all to be able to work efficiently and comfortably. A chainsaw from Husqvarna is of course a great start. And when you add the right professional tools within reach, you get the job done easier, safer and quicker.



SWEDISH-STYLE WOODEN AXES

All Husqvarna Swedish-Style Axes are hand forged with high quality, precision ground Swedish steel with premium hickory shafts. Each axe comes with grain-leather sheath for protection. Each axe shows the story of expert craftsmanship.


- Hiking Hatchet
- Hatchet
- Carpenter's Axe
- Multi-Purpose Axe
- Splitting Maul
- Small Splitting Axe
- Large Splitting Axe
- Clearing Axe



GERMAN-STYLE WOODEN AXES

Husqvarna German-Style axes are built for power, durability and comfort. The high-quality steel heads, and strong wooden handles made from ash, are perfect for extreme use. Split logs with ease while using the German-style splitting axes, designed for heavy impact with less sticking.

- Hatchet
- Universal Axe
- Small Splitting Axe
- Large Splitting Axe
- Hookaroon Short Handle (Log Lifting)
- Hookaroon Long Handle (Log Lifting)



COMPOSITE AXES

All Husqvarna composite axes are Fiber-reinforced PA shaft makes the axe durable and robust. Balance point close to the axe head gives perfect balance and weight distribution. Hammer function for an easy and effective use of splitting wedges (no steel wedges).

- Hatchet
- Small Multi-Purpose Axe
- Large Multi-Purpose Axe
- Small Splitting Axe
- Large Splitting Axe



TOOL BELT FLEXI – CARRIER KIT



A flexible and ergonomic tool belt with excellent weight distribution and adjustable, one-hand-release belt buckle specially developed for forestry work. Intuitive and easy to personalize with easily attached holders, pockets and harness.

Tool belt FLEXI. Harness. Accessory bag. File and combi-tool holder. Universal bag. Carrier hook. Wedge pocket.

- 1. TOOL BELT FLEXI**
A flexible and ergonomic tool belt with excellent weight distribution and adjustable, one-hand-release belt buckle.
- 2. HARNESS FOR TOOL BELT FLEXI**
Ergonomic design together with a chest strap evens the weight over the shoulders.
- 3. UNIVERSAL BAG**
Universal bag for first aid kit, GPS tracker, power bar or other smaller items.
- 4. COMBI HOLSTER**
Combi holster for lifting tongs or lifting hook plus eyelets for measuring tape.
- 5. HOLDER FOR MEASURING TAPE**
Holder that keeps measuring tape securely in place.
- 6. COMBI HOLSTER WITH WEDGE POCKET**
Combi holster for lifting tongs or lifting hook plus a pocket for wedges.
- 7. WEDGE POCKET**
Pocket for multiple wedges, with individual sections keeping them in place.
- 8. UNIVERSAL TOOL HOLDER**
Multi-purpose holder for carrying tools such as an axe, impact bar etc.
- 9. CARRIER HOOK**
A multi-purpose hook for carrying various tools, water cans or other equipment.
- 10. SPRAY CAN HOLDER**
Holster for a spray can that makes sure it is securely kept in its place.
- 11. FILE AND COMBI-TOOL HOLDER**
Holder for one round and one flat file, plus combi-tool. The holder effectively prevents broken or lost tools.
- 12. CALLIPER HOLSTER**
The caliper holster from our classic tool belt can also be used with tool belt FLEXI.
- 13. BREAKING BAR HOLSTER**
The breaking bar holster from our classic tool belt can also be used with tool belt FLEXI.
- 14. ACCESSORY BAG**
Extra bag, suitable for your fire extinguisher, water bottle, extra clothing and more.



GRAPHITE CRAYONS
Weather resistant graphite crayons for marking on dry and wet wood. Hexagonal, diameter 12 x 120 mm, 12 pcs/ package



CRAYON HOLDER WITH REEL
Holder with spring-loaded metal reel for 12 mm crayons. Robust design with a metal reel that can be attached to the tool belt or harness.



MEASURING TAPE
Easy to use, lightweight design, ideal for measuring logs and stems. Can be adjusted without tools. Marked on both sides. Robust with aluminum top.

TECHNICAL

Dress up for a productive workday

The Husqvarna Technical clothing range is designed and manufactured to perform all day, every day. Task-optimized design meets modern styling, while tough, light stretch fabrics, reinforced panels, pre-bent knees and elbows offer high resistance, durability and performance. You'll look good. And you'll work even better.



TECHNICAL JACKET

Lightweight, ventilated and safe, Husqvarna's Technical jacket is designed to meet the needs of many professional jobs. With 4-Way stretch, Hi-Viz, material and many gear pockets the Technical jacket is a must have for outdoor tree care professionals. 4-Way stretch material and prebent arms for optimum movement. Lightweight design for comfort. High visibility orange and reflective highlight for additional safety. Reinforced elbows using Cordura®.

WORK T-SHIRT, TECHNICAL

Light and cool t-shirt made from recycled polyester. With zipper front, extended back and easy access zipped front pocket. The t-shirt is ideal for use in warmer weather. The material transports moisture away from the body and dries quickly. Available with long or short sleeves. Size S-XXXL.



TECHNICAL



TECHNICAL CHAINSAW PANTS

Husqvarna protective pants were designed taking into consideration all customer needs including comfort, weight, temperature, fit, convenience and most importantly safety. Our chainsaw pants are setting a standard with features any chainsaw user will appreciate. 4-Way stretch material and pre-bent knees for optimum movement. Ventilation areas (legs, back pockets) for breathability. Lightweight design for all day comfort. Phone and gear pockets for added versatility. Reinforced knees using Cordura®. Certified chainsaw protective pant - these pants are tested in accordance with ASTM F1897 (US) for leg protection for chainsaw users.

TECHNICAL HI-VIZ CHAINSAW PANTS

Husqvarna protective pants have been completely redesigned taking into consideration all customer needs including weight, temperature, fit, convenience and most importantly safety. The Technical Hi-Viz Pants are setting a standard for Husqvarna protective pants and offer many features and benefits any chainsaw user will appreciate. 4-Way stretch material and pre-bent knees for optimum movement. Ventilation areas (legs, back pockets) for breathability. Lightweight design for all day comfort. High visibility orange and reflective highlight for additional safety. Phone and gear pockets for added versatility. Certified chainsaw protective pant. Reinforced knees using Cordura®. These pants are tested in accordance with ASTM F1897 (US) for leg protection for chainsaw users.

TECHNICAL APRON WRAP CHAINSAW CHAPS

Apron wrap chap made in 1000 Denier Polyester with PU coating. It contains 5 layers of TEK WARP protective material. Felling wedge and gear pocket. Acetal Delrin buckles. Adjustable waist size up to 38" (overall length is from waist to ankle). Wash in cold water mild detergent and hang to dry. Never use chlorine bleach. Meets ASTM F1897, ANSI Z133.1. UL® certified. Meets OSHA regulation 1910-266.



FUNCTIONAL



FUNCTIONAL IMPACT WORK PANTS

Great all-around pants for landscaping, brushcutting, and many other outdoor work activities. Lightweight poly cotton shell for all-day comfort. Ventilation on back of the legs for breathability. Reflective Husqvarna logo for high visibility. Gear pocket. 500D Cordura articulated knee and leg. 2 layers of Veratex felt for shin protection.

FUNCTIONAL APRON CHAINSAW CHAPS

5 Layer Frontal Apron Chainsaw Chaps. 600 Denier Polyester with PVC Coating with TEK WARP PROTECTIVE LAYERS. Felling wedge pocket. Acetal Delrin buckles. Adjustable waist size up to 38" (overall length is from waist to ankle). Wash in cold water mild detergent & hang to dry. Never use chlorine bleach. Meets ASTM F1897, ANSI Z133.1. UL® Certified. Meets OSHA Regulation 1910-266.

CLASSIC



CLASSIC CHAINSAW PANTS

Husqvarna protective pants were designed taking into consideration all customer needs including comfort, weight, temperature, fit, convenience and most importantly safety. Our chainsaw pants are setting a standard with features any chainsaw user will appreciate. Durable material to hold up in various conditions. Light weight design for all day comfort. Reflective Husqvarna logo for high visibility. Reinforced knees. Ventilation on back of legs for breathability. Phone pocket. True fit sizing. Certified chainsaw protective pant - these pants are tested in accordance with ASTM F1897 (US) for leg protection for chainsaw users.

CLASSIC CHAINSAW CHAPS

5 layer frontal apron chainsaw chaps contain PVC coated 600 denier polyester with Tek warp protective layers. Tool/Gear pocket. Acetal Delrin buckles. Adjustable waist size up to 38" (overall length is from waist to ankle). Wash in Cold water mild detergent & hang to dry. Never use chlorine bleach. Meets ASTM F1897, ANSI Z133.1. UL® Certified. Meets OSHA Regulation 1910-266.



Pre-bent knees

The knees are pre-bent and have been tailored to offer maximum mobility without compromising safety.




Adjust for perfect fit

The clothes come with elastic drawstrings at the waist and at the lower bottom of the jacket, allowing you to adjust your gear for perfect fit.



Well ventilated

Openings at the yoke and at the lower back make for good ventilation. Zippers in the armpits and at the back of the legs let you adjust the airflow to your liking.



Easy-access pockets

The jacket has two pockets on the chest and a dedicated first-aid pocket. The trousers feature two front pockets, two back pockets, a leg pocket and a ruler pocket.

Safety gear that doesn't restrict you

Your safety is our top priority. At Husqvarna we leverage feedback from our wide network of long-term, professional users combined with extensive research to develop a comprehensive line of ergonomically designed protective equipment.

FOREST HELMET, TECHNICAL

Lightweight with great visibility

A robust, yet lightweight helmet with an ergonomic design – packed with smart solutions that lessen the weight, enable a more personal fit and ensure a better head temperature even during long shifts. It also offers an improved field of vision and a headlamp slot. Fluorescent orange



HEARING PROTECTION WITH HEADBAND

Hearing protection where you can adjust the pressure by 20%. With soft, airy padding in the headband. The hearing protectors are developed for optimal ergonomics.



CLEAR CUT

Premium protective sunglasses with an adjustable rubber nose piece for added comfort. Dual mold rubber temple grips for better stability. Husqvarna grey frame color with orange temple grips. Silver mirror lens color.



CLASSIC

Featuring a dielectric design with extended curved lens protection. Dual mold rubber temples and adjustable rubber nose piece. Black frame color with indoor/outdoor lens color.



FLEX POLARIZED

Premium protective sunglasses with vented rubber nose piece for breathability and dual-mold rubber temple grips for better stability. Polarized lenses eliminate reflective glare for reduced eyestrain and enhanced view. Crystal black frame color and smoke lens color.



XTREME GRIP GLOVES

The latex double-dipped formed gloves are both breathable and comfortable. They provide grip in wet or dry conditions. Nylon/spandex is used on the back of the hand for better and tighter fit. Gloves are fast drying.

SIZES: M · L · XL



TECHNICAL WORK GLOVES

Full coverage impact protection with D30® palm padding to reduce vibration. Secure wrist closure. DuraHide™ genuine leather palm. Lightweight and breathable. High-Viz protection.

SIZES: M · L · XL



XTREME DUTY WORK GLOVES

Heavy duty pig skin with double reinforced split grain leather palm, thumb, and index finger. Sewn with Kevlar®.

SIZES: M · L · XL



FUNCTIONAL SAW PROTECTION GLOVES

Introducing the improved Husqvarna Functional Saw Protective Glove. A comfortable saw protection glove made with a goat leather double palm with foam laminated spandex on the back and with nylon neoprene knuckles. Goat leather has a good protection against moisture since it contains natural fat and is therefore suitable for demanding jobs. Knitted wrist makes it easy to put on and gives a soft comfort.

SIZES: M · L · XL



CLASSIC WORK GLOVES

The Classic Work Gloves are general-purpose gloves featuring quick-fit elastic closures, synthetic leather palms, and high visibility design. Lightweight and breathable, the gloves are fully touchscreen capable with smart phones.

SIZES: S · M · L · XL



TECHNICAL CHAINSAW PROTECTION GLOVES

A Technical glove with saw protection 20m/s. Goat leather palm with interlock jersey and grey foam and laminated spandex fabric on back. Goat leather has a good protection against moisture since it contains natural fat and is therefore suitable for demanding work. Made with comfortable seams that follows the hand shape and with double thumb stitching. Has a short and tight fitting for fit and movability.

SIZES: M · L · XL



FUNCTIONAL WORK GLOVES

Synthetic leather and reinforced palm with D30® palm padding to reduce vibration. Secure wrist closure. Lightweight and breathable. High-Viz protection. Touch-screen capable for smart phones.

SIZES: M · L · XL



TECHNICAL WINTER GLOVES

Knuckle guard with EVA foam padding extends to the index and middle finger. C100 3M Thinsulate™ traps warm air to help regulate your body temperature. Water-resistant nylon back-of-hand protects against the elements. Rugged Armortex® palm and thumb reinforcement provide abrasion resistance.

SIZES: M · L · XL

RELIABLE, COMMERCIAL EQUIPMENT

Changing the game

After more than 300 years of innovation, we didn't just stop at chainsaws. Today, we're proud to offer an entire commercial suite of products, including pole saws, clearing saws, leaf blowers and more.



DIELECTRIC POLE SAW
MADSAW

Available in both gas and battery (new in 2023!), the dielectric MADSAW has been tested to meet OSHA 1910.269. And the purposeful design allows the pole saw's sections to quickly disconnect for compact, secure storage in a tree care truck or utility vehicle.




MORE PERFORMANCE, LESS EXHAUSTION
Leaf Blowers

Our commercial blowers, both backpack and handheld, feature state-of-the-art fans to generate high air velocity and air flow. And when paired with our ergonomic, balanced design, it's a recipe for all-day performance.

**COMMERCIAL LANDSCAPING EQUIPMENT**

Learn more about our commercial landscaping offering at [husqvarna.com/us/industries-and-solutions/landscaping](https://www.husqvarna.com/us/industries-and-solutions/landscaping)



GAS POLE SAWS
525PT5S



25.4 cm³ 1.36 hp 3/8" mini 10-12 in 158.3 in 15.4 lbs

25cc pole saw with a telescopic shaft that offers our longest reach. Excellent ergonomics and superior balance help you achieve high-end results with minimum effort. For an improved working position, use the Balance Flex harness.

- X-Torq® Engine
- Telescopic shaft

GAS POLE SAWS
525P5S



25.4 cm³ 1.36 hp 3/8" mini 10-12 in 133.9 in 14.1 lbs

25cc pole saw with a detachable shaft that makes for long reach and easy transporting between work sites. Low weight, excellent ergonomics and superior balance help you work comfortably even with less accessible vegetation.

- X-Torq® Engine
- Detachable shaft

GAS POLE SAWS
525P4S



25.4 cm³ 1.36 hp 3/8" mini 10-12 in 95.7 in 11.7 lbs

Designed for easy maneuverability, this 25cc pole saw provides excellent ergonomics and superior balance, helping you avoid stresses and strains that come from awkward working positions.

- X-Torq® Engine

GAS POLE SAWS
525DEPS MADSAW™



25.4 cm³ 1.36 hp 3/8" mini 12 in 12.5 ft 16.4 lbs

As the industry's first and only dielectric gas-powered pole saw that is individually tested to meet OSHA 1910.269, the MADSAW™ delivers an extra measure of safety for skilled line workers, utility workers, and tree care professionals. The MADSAW™ can be used in the bucket, in the tree, or on the ground for extreme versatility. Purposeful design allows the pole saw's sections to quickly disconnect for secure storage in a tree care truck or utility vehicle. More productive than a manual saw and more useful than a hydraulic unit, the MADSAW™ makes pruning and limbing projects more efficient than ever before.

- Meets OSHA 1910.269
- Toolless couplers
- Multiple lengths
- Adjustable, automatic chain lubrication
- Tether point
- X-Torq® Engine

BATTERY POLE SAWS
525iDEPS MADSAW™

NEW



3/8" mini 12 in 150 in 12.3 lbs

The Husqvarna 525iDEPS MADSAW is the industry's first and only dielectric battery-powered pole saw that is individually tested to meet OSHA 1910.269 and delivers an extra measure of safety for skilled line workers, utility workers, and tree care professionals. The MADSAW can be used in the bucket, in the tree, or on the ground for extreme versatility. Purposeful design allows the pole saw's sections to quickly disconnect for secure storage in a tree care truck or utility vehicle. More productive than a manual saw and as powerful as a hydraulic pole saw, the battery-powered MADSAW makes pruning and limbing projects more efficient than ever before.

- Meets OSHA 1910.269
- Toolless Couplers
- Multiple Lengths (9' & 12.5')
- Adjustable automatic chain lubrication
- Tether Point

BATTERY POLE SAWS
530iPT5



3/8" mini 10-12 in 157.5 in 11.02 lbs

Battery pole saw with a telescopic shaft that offers our longest reach and has a power output equivalent of a 30cc gas machine. Its low weight, excellent ergonomics and quiet operation make it comfortable to use in any location at any time of day.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Telescopic shaft
- Slimmed designed cutting head

BATTERY POLE SAWS
530iP4



3/8" mini 10-12 in 98.4 in 7.5 lbs

Battery pole saw with a performance power output equivalent of a 30cc gas machine. Its low weight, excellent ergonomics and quiet operation make it comfortable to use in any location at any time of day.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Slimmed designed cutting head

525DEPS MADSAW™
An extra measure of safety

The industry's first and only dielectric gas-powered pole saw that is individually tested to meet OSHA 1910.269.



MADSAW™

READ MORE




Find our entire range of pole saws and accessories by visiting husqvarna.com/us/pole-pruners-saws/

DIELECTRIC POLE SAW ACCESSORIES



STORAGE BAG

For transport and storage of the MADSAW™. Designed to store the dielectric segment and extension shafts in order to help maintain integrity of the fiberglass segment. The bag also features an exterior pouch with button snaps for extra storage.



BOOM MOUNTS

Designed specifically for the Husqvarna 525DEPS MADSAW. Rubber trim for bar/chain oil reservoir protection. High quality fiberglass construction and ratchet straps for durability. Designed for both round or square booms.



DIELECTRIC BAR AND CHAIN OIL

See page 29 for a complete range of Husqvarna fuel and lubricants

Cylinder displacement, cm³
 Power output, hp
 Chain pitch, in
 Recommended bar length min - max, in
 Max. length with cutting equipment, in
 Weight (excluding cutting equipment and battery where applicable), lbs

For more technical specifications and information on engine power rating see pages 32-33.

GAS POLE SAWS	525PT5S	525P5S	525P4S	525DEPS MADSAW™
TECHNICAL SPECIFICATIONS				
Cylinder displacement, cm ³	25.4	25.4	25.4	25.4
Power output, hp	1.36	1.36	1.36	1.36
Sound pressure level at operator's ear, dB(A)*	89	90	91	91
Sound power level guaranteed (LWA) dB(A)**	107	107	107	111
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	6.3/5.3	2.3/3.7	2.9/3.2	7.5/10
Chain pitch, inch	3/8mini	3/8mini	3/8mini	3/8mini
Recommended bar length, min-max, inch	10-12	10-12	10-12	10-12
Max. length with cutting equipment, inch	158	134	96	12.5
Weight (excl. cutting equipment), lbs	15.4	14.1	11.7	16.4
FEATURES				
X-Torq® engine	●	●	●	●
Auto return stop switch	●	●	●	●
Chain lubrication	●	●	●	●
Chain tensioner	●	●	●	●
Fuel pump	●	●	●	●
Rear impact guard	●	●	●	●
Stand alone starter	●	●	●	●
Telescopic tube	●	—	—	—
Inertia balancing wheel	—	●	●	●
Detachable shaft	—	●	—	●
Fiberglass shaft	—	—	—	●
Toolless couplers	—	—	—	●
Tested to OSHA 1910.269	—	—	—	●
HARNESS INCLUDED				
Standard single	●	●	●	—
Balance Flex	(●)	(●)	(●)	—

(●) = Accessory *Equivalent sound pressure level, according to ISO 22868, is calculated as the time-weighted energy total for different sound pressure levels under various working conditions. Typical statistical dispersion for equivalent sound pressure level is a standard deviation of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1-3 dB(A). *** Equivalent vibration level, according to ISO 22867, is calculated as the time-weighted energy total for vibration levels under various working conditions. Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².

BATTERY POLE SAWS	530iPT5	530iP4	525iDEPS MADSAW™
TECHNICAL SPECIFICATIONS			
Battery type	Li-ion	Li-ion	Li-ion
Voltage, V	40	40	40
Motor type	BLDC (brushless)	BLDC (brushless)	BLDC (brushless)
Sound pressure level at operator's ear, dB(A)*	83	88	—
Sound power level guaranteed (LWA) dB(A)**	98	98	—
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	1.0/1.2	1.0/0.9	—
Chain pitch, inch	3/8mini	3/8mini	3/8mini
Recommended bar length, min-max, inch	10-12	10-12	10-12
Length, extended, with cutting equipment, inch	157.5	94.5	150 9' = 11.1 12.5' = 12.3 lbs
Weight (excl. battery and cutting equipment), lbs	11.02	7.5	—
FEATURES			
savE™	●	●	—
Intuitive keypad	●	●	●
Harness eyelet	●	●	●
Rear impact guard	●	●	●
Retained bar nuts	●	●	●
Flip up tank cap	●	●	●
Telescopic tube	●	—	—
HARNESS INCLUDED			
Single harness	●	●	●
Backpack battery harness	—	—	—

*Equivalent sound pressure level at the operator's ear, measured according to ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine has a typical statistical dispersion (standard deviation) of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) is reported as guaranteed value in conformity with EC directive 2000/14/EC, with statistical dispersion included. Measured according to ISO 22868. ***Equivalent vibration levels (ahv,eq) at handles, measured according to EN ISO 22867, m/s². Typical statistical dispersion (standard deviation) of ± 2 m/s².

GAS BLOWERS
525BX



- 🔧 15 N
- 🌬️ 459 cfm
- ⚖️ 9.7 lbs.

The Husqvarna 525BX is a powerful and well-balanced handheld blower for professional use. The patented X-Torq® engine technology, in combination with the special fan and housing design, means a high blowing capacity that's easy to control. The LowVib® anti-vibration system makes work less strenuous – even during long shifts. Plus, cruise control and other smart features ensure efficient and convenient operation at all times.

- Powerful and Efficient X-TORQ® Engine
- Adjustable Tube Length
- Simple Starting
- Quick Start with Air Purge

GAS BLOWERS
560BTS



- 🔧 30 N
- 🌬️ 631 cfm
- ⚖️ 23.2 lbs.

Husqvarna 560BTS is a powerful commercial back pack blower designed for demanding tasks. Large air flow and high air speed are provided by an efficient fan design together with the powerful X-Torq® engine. Commercial grade air filter gives long operating time and trouble free use. The harness has wide shoulder straps.

- Powerful and Efficient X-TORQ® Engine
- High Blowing Capacity
- Utilize full blow force with minimal arm strain
- Ergonomic Handle

GAS BLOWERS
570 BFS/BTS



- 🔧 37 N
- 🌬️ 768 cfm
- ⚖️ 24.5 lbs.

Husqvarna 570BFS and 570BTS are powerful commercial back pack blowers designed for demanding tasks. Large air flow and high air speed are provided by an efficient fan design together with the powerful X-Torq® engine. Commercial grade air filter gives long operating time and trouble free use. The harness has wide shoulder straps. Frame mounted or tube mounted throttle.

- Powerful and Efficient X-TORQ® Engine
- Frame mounted or tube mounted throttle control
- Commercial grade air filter
- High Blowing Capacity
- Quick Start with Air Purge

GAS BLOWERS
580 BFS/BTS



- 🔧 47 N
- 🌬️ 1000 cfm
- ⚖️ 27.1 lbs.

Increase your crews productivity with the powerful frame-mount Husqvarna 580 series backpack blower. Designed with a larger fuel tank, a reliable 2-stroke engine and efficient fan design, tackle large jobs with fewer interruptions throughout the day. In addition, the hip/belt strap offers better weight distribution, making it more comfortable to blow lawn clippings, leaves and other heavy debris over long periods of time. Equip your team with the 580BFS or 580BTS backpack blower and experience higher blowing performance for a job well done.

- Powerful and Efficient X-TORQ® Engine
- Frame mounted or tube mounted throttle control
- Commercial grade air filter
- High Blowing Capacity
- Quick Start with Air Purge
- Multi-Speed Control



BATTERY BLOWERS
525iB

NEW



- 🔧 17 N
- 🌬️ 471 cfm
- ⚖️ 5.5 lbs.

A handheld commercial battery-powered blower with performance equivalent to comparable gas blowers. Ideal for commercial landscapers with all-day power in a weatherproof design. You'll also appreciate ultra-quiet performance and reduced vibrations.

- Digital user interface
- Weatherproof (IPX4)
- Integrated Bluetooth



BATTERY BLOWERS

550iBTX



- 21 N
- 452 cfm
- 13.9 lbs.

Powerful and ergonomic backpack battery blower with impressive blow force (21 N). Its low vibration and noise levels (61 dBA at 15m) allow you to work in public settings and since the blower is weatherproof, you can increase both flexibility and productivity.

- Brushless motor
- Intuitive keypad
- Boost mode
- Cruise control
- Weatherproof (IPX4)
- Ergonomic harness
- Integrated connectivity*

BATTERY BLOWERS

340iBT



- 17 N
- 483 cfm
- 19.3 lbs.

The 340iBT battery backpack blower delivers low levels of noise (62dBA at 15m) and vibrations with an impressive blow force. An intuitive interface and two BLi battery slots with an auto-switch feature keeps the machine running.

- Brushless motor
- High blow force
- Low maintenance

GAS BLOWERS	525BX	560BTS	570 BFS	570 BTS	580 BFS	580 BTS
TECHNICAL SPECIFICATIONS						
Power output, hp	1.14	3.81	4	4	4.6	4.6
Blow force, N	15	30	37	37	47	47
Air flow in tube, cfm	459	631	768	768	1000	1000
Air speed, round nozzle, mph	157	232	236	236	220	220
Sound pressure level from 50 ft (15m), dB(A)	79	77	76	76	79	79
Weight, lbs	9.7	23.2	24.5	24.5	27.1	27.1
Warranty, professional	2-year	2-year	2-year	2-year	2-year	2-year
Part number	967284203	966631102	966629501	966629402	970499101	970499101

BATTERY BLOWERS	525iB	550iBTX	340iBT
TECHNICAL SPECIFICATIONS			
Power output	40V	40V	40V
Blow force, N	17	21	17
Air flow in tube, cfm	471	550	483
Air speed, round nozzle, mph	132	147	136
Sound pressure level from 50 ft (15m), dB(A)	65	61	62
Weight, lbs	5.5*	13.9*	13.9*
Compatible batteries (recommended)	BLi950X, BLi300, BLi200, BLi100	BLi950X	BLi300, BLi200, BLi100
Warranty, professional	2-year	2-year	2-year
Part number	967915504	967681101	967681201 [†] / 967681204 [‡]

[†] With battery [‡] Without battery



Battery isn't just a bunch of buzz

And while the future may be electric, we recognize you still have to work today. That's why we're leading the battery charge and providing battery solutions just as powerful as our legendary gas products. So no matter the job, you can have a battery or gas product that works for you.

CHARGING TIME FOR DIFFERENT BATTERIES AND CHARGERS

BATTERY	CHARGING CYCLES	QC500		QC330		QC80F/QC250	
		CHARGING LEVEL		CHARGING LEVEL		CHARGING LEVEL	
BLi950X	1500	1 h 40 min	2 h 20 min	3 h	4 h 5 min	—	—
BLi300	1500	35 min	1 h	55 min	1 h 20 min	4 h	4 h 20 min
BLi200X/ BLi200	1500	30 min	50 min	30 min	50 min	2 h 25 min	2 h 40 min
BLi100	1500	30 min	50 min	30 min	50 min	1 h 5 min	1 h 25 min

Required temperature for charging: min. 41°F (5° C), max. +104°F (+40° C).

WORKING TIME ON ONE CHARGE


BATTERY	540iXP®/ T540iXP®/ 535i XP®/ T535i XP®				540iXP®/ T540iXP®	535iFR			520iLX		530iPT5/ 530iP4	520iHT4/520iHE3/ 520iHD70/520iHD60		550iBTX**		530iBX***/ 525iB		K 535i	
	CARPENTER	PRUNING	LOG CUT	PRUNING	TAKE DOWN	CLEARING	TOUGH	TOUGH	LIGHT	TOUGH	PRUNING	LIGHT	TOUGH	LIGHT	TOUGH	LIGHT	TOUGH	CUTTING	
BLi950X	18 h 45 min	7 h 30 min	3 h 30 min	17 h 30 min	12 h	3 h 20 min	1 h 50 min	2 h 25 min	8 h 15 min	4 h 15 min	BLi950X	11 h 30 min	12 h 30 min	6 h	1 h 45 min	1 h	3 h 30 min	1 h 45 min	—
BLi300	5 h 30 min*	2 h 15 min	1 h	5 h 30 min*	3 h 30 min	1 h	30 min	45 min	2 h 15 min	1 h 15 min	BLi300	3 h 30 min	3 h 45 min	1 h 45 min	—	—	1 h	35 min	up to 240 pcs
BLi200X	3 h*	1 h 15 min*	35 min*	3 h*	2 h*	30 min	15 min	25 min	1 h 20 min	40 min	BLi200X	2 h	2 h	1 h	—	—	35 min	15 min	up to 140 pcs
BLi200	3 h	1 h 15 min	35 min	3 h	2 h	30 min	15 min	25 min	1 h 20 min	40 min	BLi200	2 h	2 h	1 h	—	—	35 min	15 min	up to 140 pcs
BLi100	1 h 30 min	40 min	15 min	1 h 30 min	1 h	—	—	—	40 min	20 min	BLi100	50 min	1 h	30 min	—	—	20 min	10 min	—

The runtimes are up-to times and correspond to work time using saveE™: actual work, basic maintenance and movement/climbing needed for generic operations. * Recommended for maximum performance
 Requires BLi backpack battery. *Requires backpack battery / battery belt FLEXI. ****Requires adapter plate and battery adapter for use with backpack battery

Best option

Better for your wallet, better for the environment.

Investing in battery is investing in a sustainable future. And not just sustainable for the environment, but more sustainable for your crew. Check out the example below to see how much you could save long-term, based on a landscaping crew of three people working for two years with a typical range of comparable equipment.



BACKPACK BATTERY
HUSQVARNA BLi950X

1120 Wh
20.7 lbs with harness



Very high-capacity, 31.1 Ah backpack battery with long-lasting power and top-class performance, allowing you to work with fewer breaks and higher efficiency. The adjustable harness is ergonomically designed and provides great comfort thanks to the wide, padded straps and hip belt. Rechargeable up to 1500 times.

BATTERY
HUSQVARNA BLi300

338 Wh
4.2 lbs



Integrated, 9.4 Ah battery for professional use. Provides excellent runtime and market-leading capacity/weight ratio. Features 4-LED charge indicator, all-weather operation and excellent cooling. Rechargeable up to 1500 times.

BATTERY
HUSQVARNA BLi200X

187 Wh
2.9 lbs



Integrated, 5.2 Ah battery optimized for use with the T540i XP® chainsaw. Provides excellent runtime in a slim package. Features 4-LED charge indicator, all-weather operation and excellent cooling. Rechargeable up to 1500 times.

CHARGER
RAIL CHARGER



An efficient, overnight battery charging solution, built for keeping crews powered throughout the day. Easy-to-mount charger uses overnight charging to help extend the life of your batteries. Can charge up to 8 batteries on a single outlet for maximum efficiency. Compatible with any Husqvarna 40V battery to fully integrate into our battery ecosystem.

BACKPACK BATTERY
HARNESS



Ergonomically designed harness for carrying a backpack battery. It allows you to easily detach and switch batteries between team members while keeping your harness optimally adjusted for individual fit.

CHARGER
HUSQVARNA QC500 / QC330



Extremely fast battery charger. Actively cools batteries. 2-LED status indicator. QC500, QC330

40-C80 CHARGING RAIL	
TECHNICAL SPECIFICATIONS	
Output power with 40-C80	72W x 8pcs
AC in	100-240V
Size	890 x 280 mm
Charger mounting screws	Included
Rail mounting screws	Not included*
Weight, lbs	.1 (rail only) / 17.4 for the kit (rail + 8 chargers)
Warranty, professional	2-year
Part number	970621903 (Charging Rail Kit) 536144303 (Charging Rail) 970487803 (40-C80 Charger)



Husqvarna battery belt FLEXI

Husqvarna battery belt FLEXI allows you to carry up to three Husqvarna BLi batteries and accessories on your hips for added comfort during long, productive workdays. By having your product connected to the battery, and carrying the battery in the belt, you can reduce the load for your arms and hands. Durable and comfortable design for tough work.

BATTERY BELT FLEXI
ADAPTER KIT

For connecting to Husqvarna products with a BLi battery slot. Also, for carrying spare batteries and accessories.



ACCESSORIES BATTERY BELT FLEXI



1. HARNESS FOR BATTERY BELT FLEXI

Thanks to the padded shoulder straps, the harness evens the load distribution over the shoulders when using machines in different angles.

2. ADAPTER

Connects your handheld equipment to a backpack battery or to a battery belt FLEXI with connector kit, for a more comfortable workday.

3. ACCESSORY BAG

Convenient bag that fits your battery belt FLEXI. For storing all sorts of small tools, water bottle and other accessories.

4. BLi CARRIER

Attach up to three BLi carriers to your battery belt FLEXI or one carrier to your Balance XB harness.

5. COMBI HOLSTER WITH WEDGE POCKET

Combi holster for lifting tong, or lifting hook plus a pocket for wedges.

6. FILE AND COMBI-TOOL HOLDER

Holder for one round and one flat file, plus combi-tool. The holder effectively prevents broken or lost tools.

7. SPRAY CAN HOLDER

Holder for spray can, makes sure the can is securely kept in its place.

8. CARRIER HOOK


A multi-purpose hook for carrying various tools, water cans or other equipment.

Our Commitment to Tree Care Professionals

Husqvarna's assortment of tree care solutions are designed for, by and with industry professionals. Our team's passion for advancing the industry is centered around our innovative history, creating a full ecosystem of reliable products that improve the experience of our end-users. We remain dedicated to being actively partnered in our customer's community, sharing our commitment to education and providing technology that enables a safe and sustainable future.

5 ways Husqvarna supports professionals

1. Collaborating with professionals to design and develop our products
2. Offering an ecosystem of arborist solutions all designed to work together
3. In every product we make, safety is our priority
4. Creating class-leading innovations to actively advance the industry
5. Drive global sustainability by pioneering and advancing battery technology



LEARN MORE

Discover how Husqvarna supports professionals like you at [husqvarna.com/us/industries-and-solutions/tree-care-professionals](https://www.husqvarna.com/us/industries-and-solutions/tree-care-professionals)



Husqvarna®

[husqvarna.com](https://www.husqvarna.com)

@husqvarnausa

@husqvarnaca